



T-Maxx 3.3 Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Model 4909

REV 061012

2 Speed components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)	7.50
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)	7.50
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)	7.50
5386	Gear, 1st speed, 43T	3.00
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)	14.00
5396X	Primary gears, forward and reverse/ screw pin (1) / spring (1)	7.00
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW	26.00

Air Filters

5260	Air filter housing/ foam insert/ straight base/ angled base/ cable tie (1-each) (TRX 2.5, 2.5R, 3.3)	12.00
5261	Air filter inserts, foam (3) (pre-oiled) (TRX 2.5, 2.5R, 3.3)	6.25
5263	Oil, air filter	4.99

Bearings & Bushings

4609	Ball bearings (5x10x4mm) (2)	8.00
4611	Ball bearings (5x11x4mm) (2)	6.00
2728	Ball bearings (5x8x2.5mm) (2)	8.00
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5115	Ball bearings, blue rubber sealed (5x10x4mm) (2)	3.50
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	4.00
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5120	Ball bearings, blue rubber shield (12x18x4mm) (2)	8.00
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3.00

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool	2.00
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool	4.00
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	1.00
3170	Battery holder, 4-cell/ on-off switch	5.00
3935	Body clip (mounting clip), angled, 90-degrees (10)	3.00
1834	Body clips (12) (standard size)	2.00
3934	Body clips, heavy duty (12)	3.00
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)	6.00
1815	Body washers (8)	2.00
4915	Body washers, foam adhesive (10)	2.00
49162	Body, T-Maxx 3.3 (USHRA Special Edition) (Red)/ decal sheet (2)	34.99
49165	Body, T-Maxx 3.3 (USHRA Special Edition) (Silver)/ decal sheet (2)	34.99
49166	Body, T-Maxx 3.3 (USHRA Special Edition) (Blue)/ decal sheet (2)	34.99
4916X	Body, T-Maxx, ProGraphix (Replacement for the T-Maxx 3.3 painted body. Graphics are painted, requires paint & final color application.)	34.99
4911	Body, T-Maxx (Clear, requires painting)	20.00
4911X	Body, T-Maxx, ProGraphix (Replacement for the painted flames body. Graphics are painted, requires paint & final color application.)	34.99
4911R	Body, T-Maxx, ProGraphix (Replacement for the T-Maxx 2.5 painted body. Graphics are painted, requires paint & final color application.)	34.99
4920R	Decal sheet T-Maxx 3.3	8.00
4913X	Decal sheet, Jaws T-Maxx	6.00
2514	Decal sheet, racing sponsors	3.00
4912	Disruptor body for T-Maxx/SportMaxx (custom painted and trimmed)	34.99
9950	Official Team Traxxas racing decal set(flag logo/ 6-color)	4.50
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	10.00
4975	Wheelie bar, assembled (fits all Maxx trucks)	20.00
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar	4.00
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	7.00
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	19.95
4977	Wheelie bar mount (1)	7.00

Brake Components

4966X	Brake adapter, hex aluminum (blue) (Use with HD shafts)	4.75
4967	Brake cam (blue)/ cam lever/ 3mm grub screw	6.25
5164	Brake disc (42mm steel)	2.50
5365	Brake pad set (inner and outer calipers with bonded friction material)	7.50
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, brake bolts) (6)	2.50
4927X	Transmission output yokes (Heavy-duty) (2)/ set screw yoke pins, M4/10 (1) & M4/18.5 (1)	6.00

Bumpers & Skidplates

3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)	3.50
4936	Bumper mounts, front (l&r)/ bumper mounts, rear (l&r)/ 3x12mm RHM screws (8)	3.75
4935X	Bumpers, 6061-T6, brushed aluminum (f&r)	35.00

Bumpers & Skidplates continued...

4935	Bumpers, satin finished (f&r)	6.00
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2.50
4947X	Skid plate, transmission, T6 aluminum (blue)	18.00
4937A	Skidplate, front plastic (grey)/ stainless steel plate	6.00
4937	Skidplate, front plastic (black)/ stainless steel plate	6.00
4938A	Skidplate, rear plastic (grey)/ stainless steel plate	6.00
4938	Skidplate, rear plastic (black)/ stainless steel plate	6.00
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	10.00
4975	Wheelie bar, assembled (fits all Maxx trucks)	20.00
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar	4.00
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	7.00
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	19.95
4977	Wheelie bar mount (1)	7.00

Chassis & Attachments

3170	Battery holder, 4-cell/ on-off switch	5.00
4925A	Box, battery (grey)/ adhesive foam chassis pad	4.75
5159	Box, receiver (upper and lower halves)/ clip (1)/ foam pad	7.00
4923	Chassis braces, lower (2) (black)	8.00
4923A	Chassis braces, lower (2) (grey)	8.00
4923X	Chassis braces, lower machined 6061-T6 aluminum (blue) (2)/ hardware	65.00
5122R	Chassis, 6061-T6 aluminum (4.0mm) (blue)	60.00
4922X	Chassis, 7075-T6 billet machined aluminum (4mm) (blue)/ hardware	85.00
4947X	Skid plate, transmission, T6 aluminum (blue)	18.00
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM	2.75
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	10.00
4975	Wheelie bar, assembled (fits all Maxx trucks)	20.00
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar	4.00
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	7.00
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	19.95
4977	Wheelie bar mount (1)	7.00

Clutch & Related Parts

4609	Ball bearings (5x10x4mm) (2)	8.00
4611	Ball bearings (5x11x4mm) (2)	6.00
4120	Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4124	Clutch bell, (24-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4122	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	12.00
4146X	Clutch shoes (2)/ spring (T-Maxx/Revo/Jato)	7.75
3281	Cone, split beveled	3.00
1633	E-clips/ C-rings	2.00
4142	Flywheel (N. Rustler/Sport/Stampede/T-Maxx/Revo/Jato)	7.50
5244	Flywheel nut (TRX 2.5, 2.5R, 3.3)	4.25
1985	Teflon® washers, 5x8x0.5mm (20) (use with ball bearings)	2.00

Differential Components

4982	Diff gear set: 13-T output gear shafts (2)/ 13-T spider gears (2)/ spider shaft (1)/ 6x10x0.5mm Teflon® washer (1)	9.00
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)	21.00
4980X	Housings, diff (ring side/ non-ring side) (1 each)/ pinion collar (1)	4.00
5135	Oil, differential (10K weight)	7.50
5136	Oil, differential (30K weight)	7.50
5137	Oil, differential (50K weight)	7.50
4981	Ring gear, 37-T/ 13-T pinion/ diff carrier/6x10x0.5mm Teflon® washer (1)/ 2x8mm countersunk machine screws (4)	12.00
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2.50
1647	Silicone grease	2.00
4981X	Spool (eliminates differential, use off-road only) (requires #4981 ring gear)	12.00
3981	Washer, Teflon® 6x9.5x.5 (10)	1.25

Driveline Components

5334	Axle carriers, left & right (1 each)	8.00
5459	Boots, driveshaft (rubber) (2)	2.50
4928X	Differential output yokes (Heavy-duty) (2)/ set screw yoke pins, M4/10 (2)	5.00
5451X	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)	12.00
5450	Half shaft set, left or right (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)	7.50
5151	Half shafts, center (front and rear) (external-splined (2)/ internal-splined (2))/ metal u-joints (4)	8.00
4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)	2.50
4954X	Hex wheel hubs, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)	20.00

For assistance call 1-888-TRAXXAS, or e-mail Traxxas anytime at support@Traxxas.com

Page 2 T-Maxx 3.3 Parts List

Driveline Components continued...

4955	Pins, axle (2.5x12mm) (4).....	1.00
5145	Screw pin, 4x15mm (6).....	3.50
5454	Stub axle (steel) (2).....	5.00
4927X	Transmission output yokes (Heavy-duty) (2)/ set screw yoke pins, M4/10 (1) & M4/18.5 (1).....	6.00
5452	U-joints, driveshaft (carrier) (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20) (metal parts for 2 driveshafts).....	10.00
5458X	Yokes, differential and transmission (2)/ 4x15mm screw pins (2).....	4.00
5453	Yokes, stub axle (2)/ pins (2).....	4.00

Engine & Servo Mounts

5160	Engine mount, aluminum/ 3x10 CS with washers (8) (Maxx series)	11.00
4960X	Engine mount, machined 6061-T6 aluminum (blue) (w/ screws) (Maxx series).....	42.00
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench.....	2.75
4918	Servo mounts, steering/ shift (f&r) (black).....	3.50
4918X	Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8).....	20.00
4918A	Servo mounts, steering/shift (f&r) (grey).....	3.50
4919	Servo mounts, throttle/ brake (1) (black).....	3.50
4919X	Servo mounts, throttle/ brake (machined aluminum) (blue) (f&r)/ machine screws (8).....	20.00
4919A	Servo mounts, throttle/brake (1) (grey).....	3.50

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue- anodized) (TRX 3.3), head protector (1), 3x6mm CCS (5).....	45.00
3231	Glow plug, heavy-duty (long-medium).....	6.00
3232	Glow plug, super-duty (long medium).....	5.50
3932	Screws, 3x6mm flat-head machine (hex drive) (6).....	2.50
4859	Flat-head engine mount screws 3x10, hex head, machine (4).....	1.75
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3).....	22.50
5228	Head protector, cooling head (1)/ 3x6mm CCS (5) (TRX 3.3).....	3.00
5277	Shaft, starter (TRX 2.5, 2.5R, 3.3).....	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3).....	20.00
4091	Temp gauge, blue (On-board engine tuning aid, digital LCD readout, new style with max. temp. memory).....	24.99

Exhaust

3155	Cable ties, medium (black) (6).....	2.25
3296	Fittings, inlet (nipple) for fuel or water cooling (2).....	2.75
4085	Hanger wire, universal (6-inches, cut and bend to suit).....	1.25
5146	Hanger, metal (Maxx series) (TRX 2.5, 2.5R, 3.3).....	2.00
5140	Header, aluminum (T-Maxx) (for rear exhaust engines only) (TRX 2.5, 2.5R, 3.3).....	20.00
5256	O-ring, header 12.2x1mm (TRX 2.5, 2.5R, 3.3).....	1.20
5246	Pipe coupler, molded (for use with pipes 5152 (T-Maxx) & 4452R) (TRX 2.5, 2.5R, 3.3).....	1.75
2577	Screws, 3x10mm button-head machine (hex drive) (6).....	2.50
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6).....	2.75
5152	Tuned pipe, plastic (TRX 2.5, 2.5R, 3.3).....	15.00
5487	Tuned pipe, Resonator, R.O.A.R. legal (aluminum, double-chamber) (fits Maxx vehicles with TRX Racing Engines).....	55.00
5486	Tuned pipe, Resonator, R.O.A.R. legal (aluminum, single-chamber) (fits Maxx vehicles with TRX Racing Engines).....	50.00

EZ-Start 2 & Related Parts

4579X	Connector, wiring harness (EZ-Start and EZ-Start 2).....	5.00
5280	Control box (complete) (EZ-Start 2).....	15.00
5281	Control box battery cover w/ belt clip (EZ-Start 2).....	4.00
5273	Cush-drive elements (4) (EZ-Start 2).....	2.50
5270R	EZ-Start 2, complete system with controller, drive unit, wiring harness ..	50.00
5276	Gear set (complete) (EZ-Start 2).....	9.00
5148	Grease, white lithium.....	3.00
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start 2).....	7.50
4581X	Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/molex pin extractor (use where glow plug wire does not have bullet connector)	1.75
5279	Motor (hi-torque)/ pinion gear/ motor bushing (EZ-Start 2).....	15.00
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3).....	22.50
5169	Screws, 2.6x8mm countersunk machine (6).....	2.00
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock).....	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6).....	2.50
5277	Shaft, starter (TRX 2.5, 2.5R, 3.3).....	9.00

Front Suspension & Steering

2728	Ball bearings (5x8x2.5mm) (2).....	8.00
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4).....	3.00
4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2).....	7.00
3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8).....	3.50
4930R	Bulkheads (l & r) (front) (grey).....	8.00
4930X	Bulkheads, front (machined 6061-T6 aluminum) (blue) (l&r) (requires use of 4939R or 4939X suspension pins).....	75.00

Front Suspension & Steering continued...

5134	Caster spacers (4)/ shims (4).....	3.00
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2).....	4.75
5378	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers (4) (2 pkgs. req. to complete truck).....	6.75
4933	Pivot balls (4)/ pivot ball cap bushings (4).....	6.00
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4).....	20.00
5347	Rod ends, Revo (large) with hollow balls (12).....	9.00
2742X	Rod ends, short (6)/ hollow balls (6).....	4.00
4859	Screws, 3x10 flathead machine (hex drive) (4).....	1.75
3744	Servo saver w/ adaptors.....	4.00
2055	Servo, high-torque.....	28.00
4917R	Shock tower (for rectangular body posts).....	5.00
4943	Steering bellcranks (2)/ bellcrank bushings (5x8x2.5mm) (4)/ bellcrank post spacers (2)/ draglink/ 3x8mm shoulder screws (2).....	5.00
5132R	Suspension arms (lower) (2).....	7.50
5131R	Suspension arms (upper) (2).....	7.50
5161	Suspension screw pin set, hardened steel (hex drive).....	9.00
5141	Turnbuckles, toe links (5.0mm steel) (front) (2).....	10.00

Fuel Tank & Line

3147	Fuel line (1 foot).....	1.75
3147X	Fuel line (610mm or 2ft).....	3.50
3149	Heat shield tubing, fiberglass (2).....	1.50
4948	Fuel Tank (125cc).....	14.00
4958	Fuel tank rebuild kit (contains cap, foam washer, o-ring, upper/lower retainers, screw, spring and screw pin).....	5.00
5367	Pull ring, fuel tank cap (cap fits Revo) (1)/ engine shut-off clamp (1).....	3.00

Fuel, Cleaners & Supplies

5001	Bottle, fuel filler (500cc).....	8.00
3231	Glow plug, heavy-duty (long-medium).....	6.00
3232	Glow plug, super-duty (long-medium).....	5.50
5148	Grease, white lithium.....	3.00
5263	Oil, air filter.....	4.99
5060	Top Fuel, 10% nitro (gallon).....	25.99
5010	Top Fuel, 10% nitro (quart).....	9.25
5070	Top Fuel, 20% nitro (gallon).....	29.99
5020	Top Fuel, 20% nitro (quart).....	10.99
5080	Top Fuel, 33% nitro (gallon).....	34.99
5030	Top Fuel, 33% nitro (quart).....	12.99

Hardware

Note: See Hardware Parts List for additional listings		
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool.....	4.00
3935	Body clip (mounting clip), angled, 90-degrees (10).....	3.00
1834	Body clips (12) (standard size).....	2.00
3934	Body clips, heavy duty (12).....	3.00
3930	Bulkhead cross braces (2)/ 3x25mm CM screws (8).....	3.50
1633	E-clips/ C-rings.....	2.00
5477	Flat wrench, 5mm (blue-anodized aluminum).....	4.00
5478	Flat wrench, 8mm (blue-anodized aluminum).....	4.00
3980	Glow plug wrench (universal wrench).....	2.00
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX 2.5, 2.5R).....	2.50
2586	Head screws, 3x15mm caphead machine (hex drive) (6) (TRX 2.5).....	2.50
5476	Hex wrenches; 1.5mm, 2mm, 2.5mm, 2.5 ball.....	6.00
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2).....	4.75
5475	Multi-tool (plastic).....	2.50
2745	Nuts, 3mm nylon locking (12).....	2.00
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4).....	6.00
5147	Nuts, 5mm flanged nylon locking (steel) (8).....	3.25
4147	Nuts, 5mm nylon locking (8).....	2.00
5347	Rod ends, Revo (large) with hollow balls (12).....	9.00
2742X	Rod ends, short (6)/ hollow balls (6).....	4.00
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6).....	2.00
5169	Screws, 2.6x8mm countersunk machine (6).....	2.00
2562	Screws, 2.6x8mm roundhead machine (6).....	1.50
3161	Screws, 2x8mm countersunk machine (6).....	1.50
4859	Screws, 3x10 flat-head machine (hex head) (4).....	1.75
2577	Screws, 3x10mm button-head machine (hex drive) (6).....	2.50
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench.....	2.75
2551	Screws, 3x10mm countersunk machine (6) (hex drive).....	2.50
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock).....	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6).....	2.50
2552	Screws, 3x12mm countersunk machine (6) (hex drive).....	2.50
2579	Screws, 3x15mm button-head machine (hex drive) (6).....	2.50
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6).....	2.75
2553	Screws, 3x15mm countersunk machine (6) (hex drive).....	2.50
2580	Screws, 3x20mm button-head machine (hex drive) (6).....	2.50
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6).....	2.50
2554	Screws, 3x6mm cap-head machine (hex drive) (6).....	2.50
3932	Screws, 3x6mm flat-head machine (hex drive) (6).....	2.50

Page 3 T-Maxx 3.3 Parts List

Hardware continued...		
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2.50
2550	Screws, 3x8mm countersunk machine (6) (hex drive)	2.50
4897	Screws, set (grub) 4mm (6) (with threadlock)	3.00
2743	Set (grub) screws, 3mm hardened (12)	3.00
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	3.00
1985	Teflon® washers, 5x8x0.5mm (20) (use with ball bearings)	2.00
3982	Washer, Teflon® 6x8x0.5 (10)	1.25
3981	Washer, Teflon® 6x9.5x.5 (10)	1.25
2746	Washers, 3x6mm metal (12)	1.50

Manuals

5299R	Engine Manual, TRX 2.5, 2.5R, 3.3	7.50
5198	Owner's Manual, T-Maxx 3.3	9.00

Radio System, Batteries, Charger

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	1.00
3037	Battery, RX Power Pack (5-cell hump style, GP cells, NiMH, 1100mAh)	30.00
2734	Cable ties (small) (10)	2.00
2010	Gear set (for 2018 servos)	4.00
5398	OptiDrive electronic shift module	30.00
3032	Power adapter, DC (12V car adapter for RX Power Charger)	7.50
2215	Receiver, 3-channel	30.00
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2.50
2052	Servo case (for 2055 servo)	3.00
2053	Servo gears (for 2055 servo)	4.00
2055	Servo, high-torque	28.00
2018	Servo, standard	24.00
2226	Spring contacts, transmitter (for TQ series transmitter battery compartment)	3.00
3030X	TRX Power Charger, peak detecting/ AC adapter (for charging NiCad or NiMH 5 cell receiver packs and 6-cell (7.2V) EZ-Start packs) (includes plug adapter for 7.2V packs)	40.00
3034	Wiring harness for RX Power Pack, Traxxas nitro vehicles (includes on/off switch and charge jack)	5.00

Rear Suspension

5334	Axle carriers, left & right (1 each)	8.00
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)	6.00
3930	Bulkhead cross braces (2)/ 3x25mm CM screws (8)	3.50
4917R	Shock tower (for rectangular body posts)	5.00
4929R	Bulkheads (l & r) (rear) (grey)	8.00
4929X	Bulkheads, rear (machined 6061-T6 aluminum) (blue)(l&r) (requires use of 4939R or 4939X suspension pins)	75.00
5134	Caster spacers (4)/ shims (4)	3.00
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	4.75
5378	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers (4) (2 pkgs. req. to complete truck)	6.75
4933	Pivot balls (4)/ pivot ball cap bushings (4)	6.00
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)	20.00
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
5132R	Suspension arms (lower) (2)	7.50
5131R	Suspension arms (upper) (2)	7.50
5161	Suspension screw pin set, hardened steel (hex drive)	9.00
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2)	10.00

Recoil Starter

5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5 & 2.5R)	20.00

Shocks (Ultra Shocks)

3766A	Body, Ultra Shock (XXL) (grey) (2)	3.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
3767	Shock caps (2)/ shock bottoms (2)	3.00
2667	Shock caps, aluminum (2)/ (Big Bore Shocks, also fits plastic Ultra Shocks)	7.00
2362	Shock rebuild kit (for 2 shocks)	2.50
2656T	Shock shafts, hardened steel, Titanium Nitride coated (xx-long) (2)	10.00
2656	Shock shafts, steel, chrome finish (xx-long) (2)	3.00
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	3.00
1765	Silicone diaphragms (4)	2.00
1666	Silicone shock oil (30 wt)	2.00
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	4.00
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	3.00
4957R	Springs, progressive rate (for Ultra Shocks only) (progressive rate) (f/r) (4)	8.00
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)	2.50
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	18.00
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2)	18.00

Shocks, Pro-level Aluminum

2666	Big Bore shock cylinder (xx-long) (1)	8.00
4962	Big Bore shocks (xx-long) (hard-anodized & Teflon®-coated T6 aluminum) (assembled w/ red springs, TiN shafts (8 pack)	99.99
2662	Big-bore shocks (xx-long) (hard-anodized & Teflon®-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	30.00

Shocks, Pro-level Aluminum continued...

2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)	2.50
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	7.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
3962	Set (grub) screws, 3x25mm (8)/ 3mm nylon locknuts (8)	3.50
2667	Shock caps, aluminum (2)/ (Big Bore Shocks, also fits plastic Ultra Shocks)	7.00
2362	Shock rebuild kit (for 2 shocks)	2.50
2656T	Shock shafts, hardened steel, Titanium Nitride coated (xx-long) (2)	10.00
2656	Shock shafts, steel, chrome finish (xx-long) (2)	3.00
1765	Silicone diaphragms (4)	2.00
1666	Silicone shock oil (30 wt)	2.00
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	5.50
4649R	Springs, red (for Big Bore shocks) (2.5 rate) (2)	2.50

Slipper Clutch Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5478	Flat wrench, 8mm (blue-anodized aluminum)	4.00
5366	Input shaft, transmission (slipper shaft)	4.00
5352	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring washers (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL)	7.50
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
5351	Slipper pressure plate and hub (alloy)	8.00

Spur Gears & Pinion Gears

3956	Spur gear, 54-tooth (0.8 metric pitch)	3.00
3957	Spur gear, 56-tooth (0.8 metric pitch)	3.00
3958	Spur gear, 58-tooth (0.8 metric pitch)	3.00

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)	8.00
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3.00
4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)	7.00
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	4.75
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
4918	Servo mounts, steering/ shift (f&r) (black)	3.50
4918X	Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8)	20.00
4918A	Servo mounts, steering/shift (f&r)(grey)	3.50
3744	Servo saver w/ adaptors	4.00
2055	Servo, high-torque	28.00
4943	Steering bellcranks (2)/ bellcrank bushings (5x8x2.5mm) (4)/ bellcrank post spacers (2)/ draglink/ 3x8mm shoulder screws (2)	5.00
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)	10.00

Suspension Linkage

1633	E-clips/ C-rings	2.00
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	4.75
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
2742X	Rod ends, short (6)/ hollow balls (6)	4.00
3744	Servo saver w/ adaptors	4.00
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	3.00
5161	Suspension screw pin set, hardened steel (hex drive)	9.00
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)	10.00
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2)	10.00

Team Traxxas Items

2514	Decal sheet, racing sponsors	3.00
6160X	DVD, Maxx Power! Full Throttle Action (2006)	12.99
9914	Maxx Book (By AirAge Publishing)	29.95
9950	Official Team Traxxas racing decal set(flag logo/ 6-color)	4.50
9946	T-Shirt, Large, T-Maxx King of Monsters	19.99
9945	T-Shirt, Med, T-Maxx King of Monsters	19.99
9947	T-Shirt, XL, T-Maxx King of Monsters	19.99
9948	T-Shirt, XXL, T-Maxx King of Monsters	19.99
9949	T-Shirt, XXXL, T-Maxx King of Monsters	19.99
9909	Traxxas racing banner, red & black (3x7 feet)	15.00

Throttle, Brake, & Shift Linkage

4967	Brake cam (blue)/ cam lever/ 3mm grub screw	6.25
3182	Collars, screw (2)/ grub screws, 3mm (2)	2.50
3147X	Fuel line (610mm or 2ft)	3.50
4968X	Linkage, shift (includes linkage wire, servo horn, springs, and hardware) (assembled)	5.00
3180	Rod guides (2)/ 3mm nylon locknuts (2)	2.25
4182	Servo horn, throttle-brake/ shift (1)	2.50
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM	2.75
5168	Slide carb linkage set (throttle link, brake link, and hardware)	6.00
4056	Spring, throttle return (2)	2.25
3184	Springs: throttle/brake/shift (3)	1.25

Page 4 T-Maxx 3.3 Parts List

Tires & Wheels

4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2).....	2.50
4954X	Hex wheel hubs, 6061 T-6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4).....	20.00
4955	Pins, axle (2.5x12mm) (4).....	1.00
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)	6.00
5147	Nuts, 5mm flanged nylon locking (steel) (8)	3.25
5171	Tires, T-Maxx 3.8" (2) (fits Revo/Maxx series).....	30.00
5172	Wheels, SS (split spoke) 3.8" (satin) (2) (fits Revo/Maxx series)	11.00
5172X	Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo/Maxx series) ..	11.00
5173	Tires & wheels, assembled, glued (SS (Split Spoke) satin chrome wheels, Maxx tires, foam inserts) (2) (fits Maxx/Revo series)	39.00
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)	39.00
5370	Tires, Talon 3.8" (2)/ foam inserts (2)	30.00
5372	Wheels, Gemini 3.8" (chrome) (2) (fits Revo/Maxx series)	11.00
5373	Wheels, Hurricane 3.8" (chrome) (2) (fits Maxx/Revo series).....	11.00
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)	39.00
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)	35.00
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)	30.00

Transmission Components

4609	Ball bearings (5x10x4mm) (2)	8.00
4611	Ball bearings (5x11x4mm) (2)	6.00
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5121	Bearing, needle roller (6x10x8mm) (2).....	8.00
5195	Forward only conversion kit (eliminates reverse).....	12.50
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)	7.50
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)	7.50
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)	7.50
5386	Gear, 1st speed, 43T	3.00
5183	Gear, idler/ idler gear support/ bearing (pressed in).....	6.50
5181	Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued	10.00
5366	Input shaft, transmission (slipper shaft)	4.00
4968X	Linkage, shift (includes linkage wire, servo horn, springs, and hardware) (assembled)	5.00
5398	OptiDrive electronic shift module	30.00
5397	OptiDrive sensor assembly/ 2.5x6mm CS (2)	8.00
5395	Output gears, forward & reverse/ drive dog carrier.....	9.00
5184	Output shaft, transmission	7.50
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)	14.00
5396X	Primary gears, forward and reverse/ screw pin (1) / spring (1)	7.00
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW ..	26.00
5352	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring washers (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL)	7.50
5389X	Shift fork/ shaft	6.00
1647	Silicone grease	2.00
3982	Washer, Teflon® 6x8x0.5 (10).....	1.25
3981	Washer, Teflon® 6x9.5x.5 (10)	1.25

Turnbuckles & Threaded rods

4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2).....	7.00
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2).....	4.75
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
2742X	Rod ends, short (6)/ hollow balls (6).....	4.00
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)	10.00
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2).....	10.00

See Radio System parts list for electronic components.

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information,
call 972-265-8000, or fax to 972-265-8011
e-mail Traxxas at support@Traxxas.com

WWW.TRAXXAS.COM